Acts Allowed

Procedure	EMT-B	EMT-I	EMT-P
Vital Signs (Pulse, Resp, B/P, SPO_2, Temp)	X	X	X
CPR	X	X	X
Automatic CPR Device	X	X	X
Bleeding Control and Bandaging	X	X	X
Cervical/Spinal Immobilization	X	X	X
Extremity Immobilization	X	X	X
Pelvic compression device	X	X	X
Child Birth Care	X	X	X
ECG Monitoring	X	X	X
$ETCO_2$ Monitoring	X*	X	X
SPCO Monitoring	X*	X	X
12 Lead ECG Application/Monitoring	X*	X*	X
12 Lead Interpretation		X*	X
Airway			
Manual Airway Management	X	X	X
Obstructed Airway	X	X	X
Obstructed Airway with Laryngoscopy		X	X
Assist Ventilations	X	X	X
Transport Ventilator			X
Respiratory Impedance Device (Res-Q-Pod)	X*	X	X
C-PAP		X	X
Nasal Airway	X	X	X
Oral Airway	X	X	X
Laryngeal Tube (King Tube)	X*	X	X
Nasal ET Tube			X
Oral ET Tube		X	X
Cricothyrotomy (With Waiver)			X
Rapid Sequence Induction (With Waiver)			X
Pharyngeal Suction	X	X	X
Tracheal Suction		X	X
Chest Decompression		**DO**	X
Venous Access/Medication Admin			
Peripheral IV, NS	***IV***	X	X
Peripheral IV, Capped	***IV***	X	X
External Jugular IV		X*	X
Intraosseous		X	X

Acts Allowed

Blood Draw/Transfer	***IV***	X	X
Intramuscular Injection	X*	X	X
Mucosal Atomization		X	X
Electrical Therapy			
Semi-Automatic Defibrillator	X	X	X
Defibrillation		X	X
Cardioversion			X
Transcutaneous Pacing		X	X
Medications			
Acetamenophen	X*	X	X
Acetylsalicylic Acid	X	X	X
Activated Charcoal	**DO**	**DO**	**DO**
Adenosine		**DO**	X
Albuterol-Metered Dose Inhaler	**A DO**	**DO**	X
Albuterol-Nebulizer	**DO***	**DO**	X
Amiodarone		**DO**	X
Atropine-bradycardia		**DO^**	X
Atropine-organophosphate poisoning		**DO**	**DO**
Atropine-rapid sequence intubation			X
Calcium Chloride/Gluconate			X
Dextrose 50%	**IV DO**	X	X
Diazepam		**DO^**	X
Diphenhydramine		**DO**	X
Dopamine			**DO**
Epinephrine-allergic reaction-can obtain permission from medical director to allow standing order for EMT-B for Auto-injector, with additional training	X	X	X
Epinephrine-VF/VT, asystole, PEA		**DO^**	X
Epinephrine infusion		**DO**	**DO**
Epinepherine or Racemic Epinepherine Nebulized		**DO**	X
Etomidate			X
Fentanyl		**DO**	X
Glucagon		X	X
Haloperidol		**DO^**	X
Instant Glucose	X*	X	X
Ipratropium		**DO**	X
IV Normal Saline	***IV***	X	X
IV Dextrose 5%			X
Lidocaine-control of PVC's (When amiodarone is unavailable)		**DO**	**DO**

Lidocaine-VF/VT, post arrest (When amiodarone is unavailable)		**DO^**	X
Lidocaine- Closed Head Injury			X
Lidocaine – Premedication for IO			X
Lorazepam		**DO**	X
Magnesium Sulfate			**DO**
Midazolam		**DO**	X
Morphine - orthopedic injury		**DO**	X
Morphine - other		**DO**	X
Naloxone	***IV***	X	X
Nitroglycerine SL	**A DO**	**DO**	X
Ondansetron (IV or ODT)		**DO**	X
Oxygen	X	X	X
Promethazine		**DO**	X
Sodium Bicarbonate		**DO^**	X
Succinylcholine			X
Vecuronium			X

X Standing order

DO Direct order. Requires verbal order from medical control

A DO EMT-B may assist patient with prescribed medication. Requires verbal order from medical control

IV DO EMT-B with IV certification may give Dextrose IV. Requires verbal order from medical control

IV Standing order for EMT-IV

* Available to personnel who have received special additional training

^ Medications that may be given by EMT-I's without orders (See Patient in Extremis protocol)